MORE FROM WOOD.

EGGER

E1201-02



	Material / Layer	Dimensions
A	Gypsum fire board or gypsum fibre board	
B	Gypsum board - not effective in fire protection	
	Gypsum fire board or gypsum fibre board	15
	Gypsum fire board or Gypsum fibre board	
C	EGGER OSB	22
	EGGER Ergoboard	
D	Vapour barrier s_d optional	
E	Cellulose blow-in insulation 50 kg/m³	
	Glass wool 11 kg/m³ Rock wool 30 kg/m³ Cellulose blow-in insulation 50 kg/m³ Insulating board 45 kg/m³	
	Mineral wool	100 kg/m³ / 60
	Rock wool 30 kg/m³	
	+ wood frame / ridge	40x80
F	EGGER Ergoboard	
	EGGER DHF	
	EGGER OSB	22
G	Gypsum board - not effective in fire protection	
	Gypsum fire board	15
	Gypsum fire board or gypsum fibre board	
H	Gypsum fire board or gypsum fibre board	
	Application area	Building partition wall
	Fire resistance	F90-B
	Fire classification reportt	Fire resistance F90-B according to DIN 4102-4, table 10.6, row 19
	Sound insulation Rw(c;ctr)	49 dB



Index: Vers. 1 (28.05.2020): Neuerstellung
Vers. 2 (03.06.2020): Grafische Überarbeitung
Vers. 3 (12.08.2022): Vereinfachung

Version 3; 12.08.2022
Verantwortlicher: PM/AWT EBP